

什么是突眼？

突眼可以被定义为眼睛向前异常突出面部，简单的说就是突出眼眶。英文中，Exophthalmos 的同义词包括：Proptosis、Exophthalmia、Exorbitism 和 Prominent Eyes。任何使眼球向前移的情况都可以导致突眼，比如眼眶内组织炎症、良恶性肿瘤、面部畸形导致的眼球异常位置等。

浅眼眶的外观表现情况类似，难以与突眼区分，只有非常有经验的医生有可能做出产前诊断

我该进一步做哪些检查？

许多妈妈会选择做进一步检查了解孩子的情况。以下检查供您参考，检查的可及性取决于您所在地区：

- 羊膜腔穿刺可以检查染色体数目和结构有无异常，只需要抽取少许羊水就可以完成。
- 胎儿心脏超声：孕期对胎儿心脏进行高级别的超声检查，了解胎儿心脏结构
- 如果有条件，可以用 MRI 来了解胎儿内部结构情况。

孕期要注意什么吗？

突眼的宝宝有其他的风险，上述检查有助于诊断，但有时候只能在出生后确诊。

出生后孩子会面对什么问题？

预后取决于突眼的病因。因突眼可能影响眼睑闭合引起干眼，尤其是角膜，导致眼睛受损，这可能需要对眼睛进行特别护理，甚至外科手术。

下次怀孕会再出现吗？

再发风险取决于病因，需要遗传学检查评估风险。与遗传学家咨询有助于解决问题。

我还需要了解什么？

- 突眼是孤立性还是复杂畸形或综合征的一部分表现？

- 我需要做哪些遗传学检查？
- 超声检查的频率？
- 我该在哪分娩？
- 孩子能得到最好的照顾的机构在哪里？
- 我能否提前见一下预计帮我分娩的医生团队？

最后更新于 2023 年 5 月

翻译：胡芷洋 审校：黄熙琳

Disclaimer: The content of [this leaflet/ our website] is provided for general information only. It is not intended to amount to medical advice on which you should rely. You must obtain professional or specialised individual medical advice relating to your individual position before taking, or refraining from, any action on the basis of the content on [this leaflet/ our website]. Although we make reasonable efforts to update the information on [our leaflets/ website], we make no representations, warranties or guarantees, whether express or implied, that the content on [our leaflet/ website] is accurate, complete or up to date.

